

### AGAR/GU10



### **Features**

Dual purpose garden spotlight supplied with wall mounting bracket and spike

Polycarbonate construction suitable for coastal areas

Pre-wired with 800mm of rubber insulated cable

Suitable for GU10 LED lamps only as detailed



Belfast: +44 (0) 2890 773750

## **General Information**

OCTO Compatibility  IP Rating  IP65  Internal / External  Surface / Recessed / Suspended  CE Mark  Yes  Length (mm)  Smart Indoor controller  IP65  External  External  Surface  120		
IP Rating IP65 Internal / External External Surface / Recessed / Suspended Surface CE Mark Yes Length (mm) 120	Lamp Type	GU10
Internal / External  Surface / Recessed / Suspended  Surface  CE Mark  Yes  Length (mm)  120	OCTO Compatibility	Smart Indoor controller
Surface / Recessed / Suspended Surface  CE Mark Yes  Length (mm) 120	IP Rating	IP65
CE Mark Yes Length (mm) 120	Internal / External	External
Length (mm) 120	Surface / Recessed / Suspended	Surface
	CE Mark	Yes
Height (mm) 165	Length (mm)	120
	Height (mm)	165

## **Technical Information**




# Technical Data - ETIM - Downlight/spot/floodlight (EC001744)

Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Suitable for wall mounting	Yes
Suitable for suspended mounting	No
Suitable for ceiling mounting	No
Suitable for traverse mounting	No
Suitable for pedestal/floor mounting	Yes
Suitable for light-track mounting	No
Adjustability	Swivelling
With movement sensor	No
With light sensor	No
With light sensor With light source	No No
With light source	No
With light source Suitable for number of lamps	No 1
With light source Suitable for number of lamps Lamp holder	No 1 GU10
With light source  Suitable for number of lamps  Lamp holder  Material housing	No  1  GU10  Plastic
With light source  Suitable for number of lamps  Lamp holder  Material housing  Degree of protection (IP)	No  1 GU10 Plastic IP65
With light source  Suitable for number of lamps  Lamp holder  Material housing  Degree of protection (IP)  Max. system power	No  1  GU10  Plastic  IP65  5 W
With light source  Suitable for number of lamps  Lamp holder  Material housing  Degree of protection (IP)  Max. system power  Height/depth	No  1  GU10  Plastic  IP65  5 W  120 mm

Datasheet generated from https://onetimepim.com last updated Tuesday, December 1, 2020 9:49:05 AM





Belfast: +44 (0) 2890 773750