



CorePro LED candles and lusters

Corepro Candle ND 4-25W E14 827 B35 CL

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data


General Information		Operating and Electrical	
Cap-Base	E14 [E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	4 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	35 mA
Switching Cycle	50000X	Wattage Equivalent	25 W
Technical Type	4-25W	Starting Time (Nom)	0.5 s
Light Technical		Warm Up Time to 60% Light (Nom)	0.5 s
Color Code	827 [CCT of 2700K]	Power Factor (Nom)	0.4
Luminous Flux (Nom)	250 lm	Voltage (Nom)	220-240 V
Color Designation	Warm White (WW)	Temperature	
Correlated Color Temperature (Nom)	2700 K	T-Case Maximum (Nom)	75 °C
Luminous Efficacy (rated) (Nom)	62.50 lm/W	Controls and Dimming	
Color Consistency	<6	Dimmable	No
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro LED candles and lusters

Mechanical and Housing	
Bulb Finish	Clear
Approval and Application	
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	4 kWh
Product Data	
Full product code	871869650757500

Order product name	Corepro Candle ND 4-25W E14 827 B35 CL
EAN/UPC - Product	8718696507575
Order code	929001142202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001142202
Net Weight (Piece)	0.040 kg


Dimensional drawing




LED ND 4-25W E14 827 220-240V B35 CL

Product	D	C
Corepro Candle ND 4-25W E14 827 B35 CL	35 mm	106 mm

Photometric data




CorePro LEDcandle 4-25W E14 827 CL B35



CorePro LEDcandle 4-25W E14 827 CL B35


CorePro LED candles and lusters

Photometric data




SDPO_LEDCL_0003-Spectral Power distribution

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

